

CLOE WOODSOAP

Nutrient rich cleaner for oiled/waxed wood or terracotta floors

3C34-a August 2022

Description

Product: CLOE WOODSOAP is a liquid detergent soap based on natural substances. It cleanses even stubborn stains without damaging the treatment and nourishes wood depleted by use.

Applications: for deep cleaning of both oiled and waxed wooden and/or terracotta floors.

Packaging: 1l and 5 l in plastic containers

Technical Data

Specific weight: approx. 1.00 g/cm³ at +20 °C.

Flash point: >100 °C.

Viscosity: to be added (approx. 20 s/ DIN cup 53211, 4 mm, at +20°C)

Odour: eucalyptus

Storage: shelf life 2 years in original closed containers. Store at a cool temperature protected from frost (min 5 – 7°C). Close partially used tins carefully; if there is a particularly large air space transfer to smaller containers.

How to apply

General instructions: mix CLOE WOODSOAP well before using

Application advice: Add about 100 ml (about half a glass) to a 5-litre bucket of water. For stubborn dirt, rub in CLOE WOODSOAP diluted with water 1:1, then rinse. To obtain a wax-wash product mix 100 ml of CLOE WOODSOAP with 100 ml of CLOE LIQUIWAX in 5 litres of water.

Special instructions

Even biocompatible, petroleum-free products must be kept away from children and must not be disposed of in waste water but must be disposed of according to local regulations. Do not swallow the product.

Keep out of the reach of children. In the event of contact with the skin or eyes, rinse immediately and carefully with water.

TOTAL DECLARATION OF RAW MATERIALS

Water, coconut oil soap*, natural oils, glycerine, cellulose, eucalyptus essential oil.

FREE FROM: non-biodegradable surfactants, artificial fragrances.

COMPOSITION ACCORDING TO Reg. 648/2004: <5% Ionic surfactants*, soaps*, other ingredients: essential oil of lemon or eucalyptol.

* Surfactants used in this formulation are rapidly and fully biodegradable

The above instructions are consistent with the most recent information on development and application techniques. Because we have no control over the on-site use and application of the products, we are solely responsible for their consistent quality. If in doubt, please request our technical advice.